


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((doherty amplifier and bias)&lt;in&gt;metadata)"

Your search matched 10 of 1157693 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

((doherty amplifier and bias)&lt;in&gt;metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- ☐ 1. **A microwave Doherty amplifier employing envelope tracking technique for high linearity**  
 Youngoo Yang; Jeonghyeon Cha; Bumjae Shin; Bumman Kim;  
 Microwave and Wireless Components Letters, IEEE [see also IEEE Microwave and Guided Wave Letters]  
 Volume 13, Issue 9, Sept. 2003 Page(s):370 - 372  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(238 KB\)](#) IEEE JNL
- ☐ 2. **An evaluation of SiGe/Si HBT high efficiency power amplifiers for wide dynamic range application**  
 Cheng-Chieh Lin; Ping-Chun Yeh; Hwann-Kaeo Chiou;  
 Circuits and Systems, 2004. Proceedings. The 2004 IEEE Asia-Pacific Conference on  
 Volume 1, 6-9 Dec. 2004 Page(s):281 - 284 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(555 KB\)](#) IEEE CNF
- ☐ 3. **A fully matched N-way Doherty amplifier with optimized linearity**  
 Youngoo Yang; Jeonghyeon Cha; Bumjae Shin; Bumman Kim;  
 Microwave Theory and Techniques, IEEE Transactions on  
 Volume 51, Issue 3, March 2003 Page(s):986 - 993  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(506 KB\)](#) IEEE JNL
- ☐ 4. **An extended Doherty amplifier with high efficiency over a wide power range**  
 Iwamoto, M.; Williams, A.; Pin-Fan Chen; Metzger, A.G.; Larson, L.E.; Asbeck, P.M.;  
 Microwave Theory and Techniques, IEEE Transactions on  
 Volume 49, Issue 12, Dec. 2001 Page(s):2472 - 2479  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(173 KB\)](#) IEEE JNL
- ☐ 5. **An 18-21 GHz InP DHBT linear microwave Doherty amplifier**  
 Kobayashi, K.W.; Oki, A.K.; Gutierrez-Aitken, A.; Chin, P.; Li Yang; Kaneshiro, E.; Gros  
 Sato, K.; Block, T.R.; Yen, H.C.; Streit, D.C.;  
 Radio Frequency Integrated Circuits (RFIC) Symposium, 2000. Digest of Papers. 2000  
 11-13 June 2000 Page(s):179 - 182  
[AbstractPlus](#) | Full Text: [PDF\(220 KB\)](#) IEEE CNF
- ☐ 6. **An adaptive bias controlled power amplifier with a load-modulated combining structure for efficiency and linearity**  
 Jeonghyeon Cha; Youngoo Yang; Bumjae Shin; Bumman Kim;

Microwave Symposium Digest, 2003 IEEE MTT-S International  
Volume 1, 8-13 June 2003 Page(s):81 - 84 vol.1

[AbstractPlus](#) | Full Text: [PDF](#)(371 KB) IEEE CNF

- ☐ **7. RF high power Doherty amplifier for Improving the efficiency of a Feedforward lir**  
Kyoung-Joon Cho; Jong-Heon Kim; Stapleton, S.P.;  
Microwave Symposium Digest, 2004 IEEE MTT-S International  
Volume 2, 6-11 June 2004 Page(s):847 - 850 Vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(324 KB) IEEE CNF
- ☐ **8. Bias-switching quasi-Doherty-type amplifier for CDMA handset applications**  
Seongjun Bae; Junghyun Kim; Inho Nam; Youngwoo Kwon;  
Radio Frequency Integrated Circuits (RFIC) Symposium, 2003 IEEE  
8-10 June 2003 Page(s):137 - 140  
[AbstractPlus](#) | Full Text: [PDF](#)(298 KB) IEEE CNF
- ☐ **9. Doherty amplifier with DSP control to improve performance in CDMA operation**  
Yu Zhao; Iwamoto, M.; Larson, L.E.; Asbeck, P.M.;  
Microwave Symposium Digest, 2003 IEEE MTT-S International  
Volume 2, 8-13 June 2003 Page(s):687 - 690 vol.2  
[AbstractPlus](#) | Full Text: [PDF](#)(335 KB) IEEE CNF
- ☐ **10. A highly efficient Doherty feedforward linear power amplifier for W-CDMA base-s applications**  
Kyoung-Joon Cho; Jong-Heon Kim; Stapleton, S.P.;  
Microwave Theory and Techniques, IEEE Transactions on  
Volume 53, Issue 1, Jan. 2005 Page(s):292 - 300  
[AbstractPlus](#) | Full Text: [PDF](#)(1648 KB) IEEE JNL

[View Selected Items](#)

indexed by  
 Inspec®

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -

**EAST - (Untitled1):1**

File View Edit Tools Window Help

☐ Links  
☐ Pending  
☐ Active  
☐ Failed  
☐ Saved  
☒ No 5:11:27: Dooherty et al. articles  
☐ Favorites  
☐ Tagged (0)  
☐ LNK  
☐ Recent  
☐ Trash

Search:

CD:  LOCAL DRIVE (LOCAL DISK (C:)) CURRENT PATH: /

Local server:  OK

Dooherty et al. articles

☐ Details  
☒ Highlight all relevant results

#	Document ID	Issue Date	Pages	Title	Current OR	Current Site	Retrieval Method	Impeller	S	C	I	U	W	Q	Y
1	US 20040017052 A1	20040405	14	Switching amplifier architecture	330/151			Robinson, Ian et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	US 20050017052 A1	20050127	19	Digital cross cancellation system	330/151	330/149		Robinson, Ian	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3	US 20050017050 A1	20050127	19	System and method for reducing dynamic range and improving linearity in an impedance system	330/149			Robinson, Ian	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
4	US 20040263246 A1	20041230	20	MULTI-MODE N/A TI-AMPLIFIER ARCHITECTURE	330/124R			Robinson, Ian et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5	US 20040199351 A1	20040930	22	High efficiency amplifier and method of designing same	330/124R			Louis, Edward Vincent	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6	US 20040189390 A1	20040930	17	High efficiency amplifier	330/124R			Myer, Robert E. et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7	US 20040189378 A1	20040930	17	High efficiency linear power amplifier	330/124			Swales, Thomas et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8	US 20040134213 A1	20040909	13	Distortion feedback to linearize a compensator for process and environmental variations	330/124R			Thompson, Ralph H.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9	US 20040117421 A1	20040809	9	Dooherty amplifier using adaptive bias control	330/124R			Kim, Seungmin et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10	US 20040117563 A1	20040715	10	Composite amplifier with optimized linearity and efficiency	330/149			Hellberg, Richard	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11	US 20040113698 A1	20040617	8	Signal amplifier using a dooherty amplifier	330/235			Kim, Seungmin et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Ready